

Short communication

The Role of Nanoparticle Doping in Heat Transfer Fluids

¹Reynolds Artherobe, ¹Rebirn Rodraziz

Department of Materials Engineering, Technical University of Malaysia Malacca

Abstract

Improving the thermal conductivity of heat transfer fluids (HTFs) is critical for the performance of energy storage systems, particularly in concentrated solar power (CSP) plants. Nanoparticle doping has emerged as an effective method to enhance the thermal properties of HTFs. This short communication reviews recent progress in the use of nanoparticles such as Al₂O₃, TiO₂, and carbon-based nanomaterials to improve HTF efficiency. The findings indicate that even at low concentrations, nanoparticles can significantly boost the thermal conductivity of base fluids, optimizing energy storage and transfer in solar thermal applications.

Keywords: doping, nano particle, heat transfer fluid

Introduction

Energy storage and transfer are pivotal in the performance and efficiency of renewable energy systems, particularly in CSP plants where HTFs play an essential role. Traditional molten salts and other HTFs often suffer from suboptimal thermal conductivity, limiting their ability to store and transfer heat efficiently. Nanoparticle doping has been identified as a promising technique to address this limitation, enhancing the heat transfer capabilities of HTFs.

This communication focuses on recent research exploring the impact of different types of nanoparticles on the thermal properties of HTFs and discusses the implications for future CSP applications [1-11].

Mechanism of Nanoparticle Doping

Nanoparticle doping involves the dispersion of nanoscale particles within a base fluid to improve its thermal conductivity. The mechanism through which nanoparticles enhance thermal conductivity is multifaceted, involving:

- **Increased Surface Area:** Nanoparticles provide a high surface area for heat transfer.
- **Enhanced Brownian Motion:** Nanoparticles exhibit rapid, random movement that promotes energy exchange at the molecular level.
- **Thermal Percolation Pathways:** The formation of thermal bridges between particles enhances heat transfer throughout the fluid.

Recent Findings

1. **Al₂O₃ Nanoparticles:** Research by Ayinla et al. (2024) demonstrated that doping quaternary nitrate salt mixtures with Al₂O₃ nanoparticles enhanced the thermal conductivity by up to 15% at a 1% volume fraction. This improvement directly translates to more efficient heat storage and reduced thermal losses during CSP plant operation.
2. **TiO₂ Nanoparticles:** Yasinskiy et al. (2018) highlighted the effectiveness of TiO₂ nanoparticles, showing a notable 20% enhancement in thermal conductivity when added to molten salt HTFs. The study emphasized the stability of these particles at high operating temperatures, making them ideal for CSP applications.
3. **Carbon-Based Nanomaterials:** Graphene and carbon nanotubes (CNTs) have emerged as leading candidates due to their superior thermal conductivity. Even at lower concentrations (0.1–0.5%), these materials significantly boost the heat transfer capabilities of base fluids without adversely impacting viscosity.

Discussion

The addition of nanoparticles to HTFs can substantially improve the efficiency of energy storage systems. However, the choice of nanoparticle type, size, and concentration is crucial for maximizing thermal conductivity without affecting other properties such as fluid stability and viscosity. Challenges remain in achieving uniform nanoparticle dispersion and preventing agglomeration, which can impair performance over time.

The long-term impact of nanoparticle-enhanced HTFs includes reduced operational costs and improved energy capture and storage in CSP plants. Future research should focus on optimizing nanoparticle formulations and understanding the interactions between nanoparticles and base fluids at a microscopic level. Additionally, addressing potential issues like corrosion, compatibility with existing systems, and cost-effectiveness will be key to widespread adoption.

Conclusion

Nanoparticle doping presents a transformative approach to enhancing the thermal conductivity of HTFs for energy storage applications. Materials like Al₂O₃, TiO₂, and carbon-based nanoparticles have demonstrated significant improvements in heat transfer properties, making them highly promising for CSP plants. Continued exploration into the optimal conditions for nanoparticle use will support the development of more efficient, reliable, and sustainable energy storage solutions.

Reference

- [1] Yasinskiy, A., Navas, J., Aguilar, T., Alcántara, R., Gallardo, J. J., Sánchez-Coronilla, A., & Fernández-Lorenzo, C. (2018). Dramatically enhanced thermal properties for TiO₂-based nanofluids for being used as heat transfer fluids in concentrating solar power plants. *Renewable energy*, 119, 809-819.

Preprint

- [2] Kwasi-Effah, C. C., Egware, H. O., Obonor, A. I., & Ighodaro, O. O. (2023). Development and characterization of a quaternary nitrate based molten salt heat transfer fluid for concentrated solar power plant. *Heliyon*, 9(5).
- [3] Kenda, E. S., N'Tsoukpoe, K. E., Ouédraogo, I. W., Coulibaly, Y., Py, X., & Ouédraogo, F. M. A. W. (2017). Jatropha curcas crude oil as heat transfer fluid or thermal energy storage material for concentrating solar power plants. *Energy for Sustainable Development*, 40, 59-67.
- [4] Kwasi-Effah, C. C., Unuareokpa, O., Egware, H. O., Ighodaro, O., Obonor, A. I., Onoche, U., & Achebo, J. (2024). Enhancing thermal conductivity of novel ternary nitrate salt mixtures for thermal energy storage (TES) fluid. *Progress in Engineering Science*, 1(4), 100020.
- [5] Kwasi-Effah, C. C., Ighodaro, O., Egware, H. O., & Obonor, A. I. (2022). Characterization and comparison of the thermophysical property of ternary and quaternary salt mixtures for solar thermal power plant applications. *Results in Engineering*, 16, 100721.
- [6] Kwasi-Effah, C. C., Ighodaro, O. O., Egware, H. O., & Obonor, A. I. (2023). Recent progress in the development of thermal energy storage mediums for solar applications. *J. Eng. Dev*, 15(1), 146-170.
- [7] Egware, H. O., & Kwasi-Effah, C. C. (2023). A novel empirical model for predicting the carbon dioxide emission of a gas turbine power plant. *Heliyon*, 9(3).
- [8] Kwasi-Effah, C. C. (2024). Heat Transfer Fluids in Solar Thermal Power Plants: A Review. *NIPES-Journal of Science and Technology Research*.
- [9] Kwasi-Effah, C. C., & Rabczuk, T. (2018). Dimensional analysis and modelling of energy density of lithium-ion battery. *Journal of Energy Storage*, 18, 308-315.
- [10] Ayinla, R. D., Kwasi-Effah, C. C., & Egware, H. O. (2024). Thermal Conductivity Enhancement of Quaternary Nitrate Salt Mixtures for Thermal Energy Storage with Al₂O₃ Nanoparticle Doping. *NIPES-Journal of Science and Technology Research*, 6(3).
- [11] Kwasi-Effah, C. C., Ighodaro, O., Egware, H. O., & Obonor, A. I. (2022). A novel empirical model for predicting the heat accumulation of a thermal energy storage medium for solar thermal applications. *Journal of Energy Storage*, 56, 105969.